

# 441 Omni Cast Couplings
## Straight and Transition

| Nom. Size Inches | O.D. Range Inches | | Alloy Bolts & Nuts | | 304 SS Bolts & Nuts | | 316 SS Bolts & Nuts | | Approx. Weight lbs. |
|---|---|---|---|---|---|---|---|---|---|
| | End 1 | End 2 | Catalog Number - 900 | List Price | Catalog Number - 931 | List Price | Catalog Number - 943 | List Price | |
| 2 | 2.34-2.63 | 2.34-2.63 | 441-00000263-900 | **$78.89** | 441-00000263-931 | **$117.98** | 441-00000263-943 | **$154.49** | 9 |
| 2 1/2 | 2.65-2.88 | 2.65-2.88 | 441-00000288-900 | **102.00** | 441-00000288-931 | **144.45** | 441-00000288-943 | **177.60** | 9 |
| 3 | 2.85-3.13 | 2.85-3.13 | 441-00000313-900 | **129.59** | 441-00000313-931 | **219.54** | 441-00000313-943 | **280.78** | 14 |
| | 3.44-3.62 | 3.44-3.62 | 441-00000350-900 | **129.59** | 441-00000350-931 | **219.54** | 441-00000350-943 | **280.78** | 14 |
| | 3.80-3.96 | 3.80-3.96 | 441-00000396-900 | **129.59** | 441-00000396-931 | **219.54** | 441-00000396-943 | **280.78** | 14 |
| | 3.97-4.14 | 3.97-4.14 | 441-00000414-900 | **129.59** | 441-00000414-931 | **219.54** | 441-00000414-943 | **280.78** | 14 |
| | 3.44-3.62 | 2.85-3.13 | 441-03500313-900 | **129.59** | 441-03500313-931 | **219.54** | 441-03500313-943 | **280.78** | 14 |
| | 3.80-3.96 | 2.85-3.13 | 441-03960313-900 | **129.59** | 441-03960313-931 | **219.54** | 441-03960313-943 | **280.78** | 14 |
| | 3.80-3.96 | 3.44-3.62 | 441-03960350-900 | **129.59** | 441-03960350-931 | **219.54** | 441-03960350-943 | **280.78** | 14 |
| | 3.97-4.14 | 2.85-3.13 | 441-04140313-900 | **129.59** | 441-04140313-931 | **219.54** | 441-04140313-943 | **280.78** | 14 |
| | 3.97-4.14 | 3.44-3.62 | 441-04140350-900 | **129.59** | 441-04140350-931 | **219.54** | 441-04140350-943 | **280.78** | 14 |
| | 3.97-4.14 | 3.80-3.96 | 441-04140396-900 | **129.59** | 441-04140396-931 | **219.54** | 441-04140396-943 | **280.78** | 14 |
| 4 | 4.00-4.15 | 4.00-4.15 | 441-00000415-900 | **162.00** | 441-00000415-931 | **242.47** | 441-00000415-943 | **313.20** | 19 |
| | 4.22-4.50 | 4.22-4.50 | 441-00000450-900 | **162.00** | 441-00000450-931 | **242.47** | 441-00000450-943 | **313.20** | 19 |
| | 4.46-4.86 | 4.46-4.86 | 441-00000486-900 | **162.00** | 441-00000486-931 | **242.47** | 441-00000486-943 | **313.20** | 19 |
| | 4.80-5.10 | 4.80-5.10 | 441-00000510-900 | **162.00** | 441-00000510-931 | **242.47** | 441-00000510-943 | **313.20** | 19 |
| | 5.11-5.45 | 5.11-5.45 | 441-00000545-900 | **162.00** | 441-00000545-931 | **242.47** | 441-00000545-943 | **313.20** | 19 |
| | 4.22-4.50 | 4.00-4.15 | 441-04500415-900 | **162.00** | 441-04500415-931 | **242.47** | 441-04500415-943 | **313.20** | 19 |
| | 4.46-4.86 | 4.00-4.15 | 441-04860415-900 | **162.00** | 441-04860415-931 | **242.47** | 441-04860415-943 | **313.20** | 19 |
| | 4.46-4.86 | 4.22-4.50 | 441-04860450-900 | **162.00** | 441-04860450-931 | **242.47** | 441-04860450-943 | **313.20** | 19 |
| | 4.80-5.10 | 4.00-4.15 | 441-05100415-900 | **162.00** | 441-05100415-931 | **242.47** | 441-05100415-943 | **313.20** | 19 |
| | 4.80-5.10 | 4.22-4.50 | 441-05100450-900 | **162.00** | 441-05100450-931 | **242.47** | 441-05100450-943 | **313.20** | 19 |
| | 4.80-5.10 | 4.46-4.86 | 441-05100486-900 | **162.00** | 441-05100486-931 | **242.47** | 441-05100486-943 | **313.20** | 19 |
| | 5.11-5.45 | 4.00-4.15 | 441-05450415-900 | **162.00** | 441-05450415-931 | **242.47** | 441-05450415-943 | **313.20** | 19 |
| | 5.11-5.45 | 4.22-4.50 | 441-05450450-900 | **162.00** | 441-05450450-931 | **242.47** | 441-05450450-943 | **313.20** | 19 |
| | 5.11-5.45 | 4.46-4.86 | 441-05450486-900 | **162.00** | 441-05450486-931 | **242.47** | 441-05450486-943 | **313.20** | 19 |
| | 5.11-5.45 | 4.80-5.10 | 441-05450510-900 | **162.00** | 441-05450510-931 | **242.47** | 441-05450510-943 | **313.20** | 19 |
| 6 | 6.00-6.15 | 6.00-6.15 | 441-00000615-900 | **207.76** | 441-00000615-931 | **288.46** | 441-00000615-943 | **358.96** | 25 |
| | 6.28-6.63 | 6.28-6.63 | 441-00000663-900 | **207.76** | 441-00000663-931 | **288.46** | 441-00000663-943 | **358.96** | 25 |
| | 6.56-6.96 | 6.56-6.96 | 441-00000696-900 | **207.76** | 441-00000696-931 | **288.46** | 441-00000696-943 | **358.96** | 25 |
| | 6.90-7.22 | 6.90-7.22 | 441-00000722-900 | **207.76** | 441-00000722-931 | **288.46** | 441-00000722-943 | **358.96** | 25 |
| | 7.25-7.65 | 7.25-7.65 | 441-00000765-900 | **207.76** | 441-00000765-931 | **288.46** | 441-00000765-943 | **358.96** | 25 |
| | 6.28-6.63 | 6.00-6.15 | 441-06630615-900 | **207.76** | 441-06630615-931 | **288.46** | 441-06630615-943 | **358.96** | 25 |
| | 6.56-6.96 | 6.00-6.15 | 441-06960615-900 | **207.76** | 441-06960615-931 | **288.46** | 441-06960615-943 | **358.96** | 25 |
| | 6.56-6.96 | 6.28-6.63 | 441-06960663-900 | **207.76** | 441-06960663-931 | **288.46** | 441-06960663-943 | **358.96** | 25 |
| | 6.90-7.22 | 6.00-6.15 | 441-07220615-900 | **207.76** | 441-07220615-931 | **288.46** | 441-07220615-943 | **358.96** | 25 |
| | 6.90-7.22 | 6.28-6.63 | 441-07220663-900 | **207.76** | 441-07220663-931 | **288.46** | 441-07220663-943 | **358.96** | 25 |
| | 6.90-7.22 | 6.56-6.96 | 441-07220696-900 | **207.76** | 441-07220696-931 | **288.46** | 441-07220696-943 | **358.96** | 25 |
| | 7.25-7.65 | 6.00-6.15 | 441-07650615-900 | **207.76** | 441-07650615-931 | **288.46** | 441-07650615-943 | **358.96** | 25 |
| | 7.25-7.65 | 6.28-6.63 | 441-07650663-900 | **207.76** | 441-07650663-931 | **288.46** | 441-07650663-943 | **358.96** | 25 |
| | 7.25-7.65 | 6.56-6.96 | 441-07650696-900 | **207.76** | 441-07650696-931 | **288.46** | 441-07650696-943 | **358.96** | 25 |
| | 7.25-7.65 | 6.90-7.22 | 441-07650722-900 | **207.76** | 441-07650722-931 | **288.46** | 441-07650722-943 | **358.96** | 25 |



# 441 Omni Cast Couplings
## Straight and Transition

| Nom. Size Inches | O.D. Range Inches | | Alloy Bolts & Nuts | | 304 SS Bolts & Nuts | | 316 SS Bolts & Nuts | | Approx. Weight lbs. |
|---|---|---|---|---|---|---|---|---|---|
| | End 1 | End 2 | Catalog Number - 900 | List Price | Catalog Number - 931 | List Price | Catalog Number - 943 | List Price | |
| 8 | 8.00-8.16 | 8.00-8.16 | 441-00000800-900 | **$262.65** | 441-00000800-931 | **$361.84** | 441-00000800-943 | **$516.54** | 31 |
| | 8.40-8.63 | 8.40-8.63 | 441-00000863-900 | **262.65** | 441-00000863-931 | **361.84** | 441-00000863-943 | **516.54** | 31 |
| | 8.54-9.11 | 8.54-9.11 | 441-00000911-900 | **262.65** | 441-00000911-931 | **361.84** | 441-00000911-943 | **516.54** | 31 |
| | 9.05-9.30 | 9.05-9.30 | 441-00000930-900 | **262.65** | 441-00000930-931 | **361.84** | 441-00000930-943 | **516.54** | 31 |
| | 9.05-9.45 | 9.05-9.45 | 441-00000945-900 | **262.65** | 441-00000945-931 | **361.84** | 441-00000945-943 | **516.54** | 31 |
| | 9.46-9.85 | 9.46-9.85 | 441-00000985-900 | **262.65** | 441-00000985-931 | **361.84** | 441-00000985-943 | **516.54** | 31 |
| | 8.40-8.63 | 8.00-8.16 | 441-08630800-900 | **262.65** | 441-08630800-931 | **361.84** | 441-08630800-943 | **516.54** | 31 |
| | 8.54-9.11 | 8.00-8.16 | 441-09110800-900 | **262.65** | 441-09110800-931 | **361.84** | 441-09110800-943 | **516.54** | 31 |
| | 8.54-9.11 | 8.40-8.63 | 441-09110863-900 | **262.65** | 441-09110863-931 | **361.84** | 441-09110863-943 | **516.54** | 31 |
| | 9.05-9.45 | 8.00-8.16 | 441-09450800-900 | **262.65** | 441-09450800-931 | **361.84** | 441-09450800-943 | **516.54** | 31 |
| | 9.05-9.45 | 8.40-8.63 | 441-09450863-900 | **262.65** | 441-09450863-931 | **361.84** | 441-09450863-943 | **516.54** | 31 |
| | 9.05-9.45 | 8.54-9.11 | 441-09450911-900 | **262.65** | 441-09450911-931 | **361.84** | 441-09450911-943 | **516.54** | 31 |
| | 9.46-9.85 | 8.00-8.16 | 441-09850800-900 | **262.65** | 441-09850800-931 | **361.84** | 441-09850800-943 | **516.54** | 31 |
| | 9.46-9.85 | 8.40-8.63 | 441-09850863-900 | **262.65** | 441-09850863-931 | **361.84** | 441-09850863-943 | **516.54** | 31 |
| | 9.46-9.85 | 8.54-9.11 | 441-09850911-900 | **262.65** | 441-09850911-931 | **361.84** | 441-09850911-943 | **516.54** | 31 |
| | 9.46-9.85 | 9.05-9.45 | 441-09850945-900 | **262.65** | 441-09850945-931 | **361.84** | 441-09850945-943 | **516.54** | 31 |
| 10 | 10.00 | 10.00 | 441-00001000-900 | **364.65** | 441-00001000-931 | **475.47** | 441-00001000-943 | **618.53** | 48 |
| | 10.50-10.75 | 10.50-10.75 | 441-00001075-900 | **364.65** | 441-00001075-931 | **475.47** | 441-00001075-943 | **618.53** | 48 |
| | 11.10-11.60 | 11.10-11.60 | 441-00001160-900 | **364.65** | 441-00001160-931 | **475.47** | 441-00001160-943 | **618.53** | 48 |
| | 11.65-11.88 | 11.65-11.88 | 441-00001188-900 | **364.65** | 441-00001188-931 | **475.47** | 441-00001188-943 | **618.53** | 48 |
| | 11.90-12.20 | 11.90-12.20 | 441-00001220-900 | **364.65** | 441-00001220-931 | **475.47** | 441-00001220-943 | **618.53** | 48 |
| | 10.50-10.75 | 10.00 | 441-10751000-900 | **364.65** | 441-10751000-931 | **475.47** | 441-10751000-943 | **618.53** | 48 |
| | 11.10-11.60 | 10.00 | 441-11601000-900 | **364.65** | 441-11601000-931 | **475.47** | 441-11601000-943 | **618.53** | 48 |
| | 11.10-11.60 | 10.50-10.75 | 441-11601075-900 | **364.65** | 441-11601075-931 | **475.47** | 441-11601075-943 | **618.53** | 48 |
| | 11.65-11.88 | 10.00 | 441-11881000-900 | **364.65** | 441-11881000-931 | **475.47** | 441-11881000-943 | **618.53** | 48 |
| | 11.65-11.88 | 10.50-10.75 | 441-11881075-900 | **364.65** | 441-11881075-931 | **475.47** | 441-11881075-934 | **618.53** | 48 |
| | 11.65-11.88 | 11.10-11.60 | 441-11881160-900 | **364.65** | 441-11881160-931 | **475.47** | 441-11881160-943 | **618.53** | 48 |
| | 11.90-12.20 | 10.00 | 441-12201000-900 | **364.65** | 441-12201000-931 | **475.47** | 441-12201000-943 | **618.53** | 48 |
| | 11.90-12.20 | 10.50-10.75 | 441-12201075-900 | **364.65** | 441-12201075-931 | **475.47** | 441-12201075-943 | **618.53** | 48 |
| | 11.90-12.20 | 11.10-11.60 | 441-12201160-900 | **364.65** | 441-12201160-931 | **475.47** | 441-12201160-943 | **618.53** | 48 |
| | 11.90-12.20 | 11.65-11.88 | 441-12201188-900 | **364.65** | 441-12201188-931 | **475.47** | 441-12201188-943 | **618.53** | 48 |
| 12 | 12.00 | 12.00 | 441-00001200-900 | **439.08** | 441-00001200-931 | **578.00** | 441-00001200-943 | **777.60** | 52 |
| | 12.50-12.75 | 12.50-12.75 | 441-00001275-900 | **439.08** | 441-00001275-931 | **578.00** | 441-00001275-943 | **777.60** | 52 |
| | 13.20-13.50 | 13.20-13.50 | 441-00001350-900 | **439.08** | 441-00001350-931 | **578.00** | 441-00001350-943 | **777.60** | 52 |
| | 13.51-13.75 | 13.51-13.75 | 441-00001375-900 | **439.08** | 441-00001375-931 | **578.00** | 441-00001375-943 | **777.60** | 52 |
| | 13.90-14.20 | 13.90-14.20 | 441-00001420-900 | **439.08** | 441-00001420-931 | **578.00** | 441-00001420-943 | **777.60** | 52 |
| | 14.21-14.40 | 14.21-14.40 | 441-00001440-900 | **439.08** | 441-00001440-931 | **578.00** | 441-00001440-943 | **777.60** | 52 |
| | 12.50-12.75 | 12.00 | 441-12751200-900 | **439.08** | 441-12751200-931 | **578.00** | 441-12751200-943 | **777.60** | 52 |
| | 13.20-13.50 | 12.00 | 441-13501200-900 | **439.08** | 441-13501200-931 | **578.00** | 441-13501200-943 | **777.60** | 52 |
| | 13.20-13.50 | 12.50-12.75 | 441-13501275-900 | **439.08** | 441-13501275-931 | **578.00** | 441-13501275-943 | **777.60** | 52 |
| | 13.51-13.75 | 12.00 | 441-13751200-900 | **439.08** | 441-13751200-931 | **578.00** | 441-13751200-943 | **777.60** | 52 |
| | 13.51-13.75 | 12.50-12.75 | 441-13751275-900 | **439.08** | 441-13751275-931 | **578.00** | 441-13751275-943 | **777.60** | 52 |
| | 13.51-13.75 | 13.20-13.50 | 441-13751350-900 | **439.08** | 441-13751350-931 | **578.00** | 441-13751350-943 | **777.60** | 52 |
| | 13.90-14.20 | 12.00 | 441-14201200-900 | **439.08** | 441-14201200-931 | **578.00** | 441-14201200-943 | **777.60** | 52 |
| | 13.90-14.20 | 12.50-12.75 | 441-14201275-900 | **439.08** | 441-14201275-931 | **578.00** | 441-14201275-943 | **777.60** | 52 |
| | 13.90-14.20 | 13.20-13.50 | 441-14201350-900 | **439.08** | 441-14201350-931 | **578.00** | 441-14201350-943 | **777.60** | 52 |
| | 13.90-14.20 | 13.51-13.75 | 441-14201375-900 | **439.08** | 441-14201375-931 | **578.00** | 441-14201375-943 | **777.60** | 52 |
| | 14.21-14.40 | 12.00 | 441-14401200-900 | **439.08** | 441-14401200-931 | **578.00** | 441-14401200-943 | **777.60** | 52 |
| | 14.21-14.40 | 12.50-12.75 | 441-14401275-900 | **439.08** | 441-14401275-931 | **578.00** | 441-14401275-943 | **777.60** | 52 |
| | 14.21-14.40 | 13.20-13.50 | 441-14401350-900 | **439.08** | 441-14401350-931 | **578.00** | 441-14401350-943 | **777.60** | 52 |
| | 14.21-14.40 | 13.51-13.75 | 441-14401375-900 | **439.08** | 441-14401375-931 | **578.00** | 441-14401375-943 | **777.60** | 52 |
| | 14.21-14.40 | 13.90-14.20 | 441-14401420-900 | **439.08** | 441-14401420-931 | **578.00** | 441-14401420-943 | **777.60** | 52 |



# 441 Omni Cast Coupling
## Straight and Transition

| Nom. Size Inches | O.D. Range Inches | | Alloy Bolts & Nuts | | 304 SS Bolts & Nuts | | 316 SS Bolts & Nuts | | Approx. Weight lbs. |
|---|---|---|---|---|---|---|---|---|---|
| | End 1 | End 2 | Catalog Number - 900 | List Price | Catalog Number - 931 | List Price | Catalog Number - 943 | List Price | |
| 14 | 15.30-15.50 | 15.30-15.50 | 441-00001550-900 | **$738.73** | 441-00001550-931 | **$947.58** | 441-00001550-943 | **$1,077.24** | 58 |
| | 15.55-15.80 | 15.55-15.80 | 441-00001580-900 | **738.73** | 441-00001580-931 | **947.58** | 441-00001580-943 | **1,077.24** | 58 |
| | 16.10-16.35 | 16.10-16.35 | 441-00001622-900 | **738.73** | 441-00001622-931 | **947.58** | 441-00001622-943 | **1,077.24** | 58 |
| | 16.41-16.55 | 16.41-16.55 | 441-00001655-900 | **738.73** | 441-00001655-931 | **947.58** | 441-00001655-943 | **1,077.24** | 58 |
| | 16.73-16.90 | 16.73-16.90 | 441-00001690-900 | **738.73** | 441-00001690-931 | **947.58** | 441-00001690-943 | **1,077.24** | 58 |
| | 15.55-15.80 | 15.30-15.50 | 441-15801550-900 | **738.73** | 441-15801550-931 | **947.58** | 441-15801550-943 | **1,077.24** | 58 |
| | 16.10-16.35 | 15.30-15.50 | 441-16221550-900 | **738.73** | 441-16221550-931 | **947.58** | 441-16221550-943 | **1,077.24** | 58 |
| | 16.10-16.35 | 15.55-15.80 | 441-16221580-900 | **738.73** | 441-16221580-931 | **947.58** | 441-16221580-943 | **1,077.24** | 58 |
| | 16.41-16.55 | 15.30-15.50 | 441-16551550-900 | **738.73** | 441-16551550-931 | **947.58** | 441-16551550-943 | **1,077.24** | 58 |
| | 16.41-16.55 | 15.55-15.80 | 441-16551580-900 | **738.73** | 441-16551580-931 | **947.58** | 441-16551580-943 | **1,077.24** | 58 |
| | 16.41-16.55 | 16-10-16.35 | 441-16551622-900 | **738.73** | 441-16551622-931 | **947.58** | 441-16551622-943 | **1,077.24** | 58 |
| | 16.73-16.90 | 15.30-15.50 | 441-16901550-900 | **738.73** | 441-16901550-931 | **947.58** | 441-16901550-943 | **1,077.24** | 58 |
| | 16.73-16.90 | 15.55-15.80 | 441-16901580-900 | **738.73** | 441-16901580-931 | **947.58** | 441-16901580-943 | **1,077.24** | 58 |
| | 16.73-16.90 | 16.10-16.35 | 441-16901622-900 | **738.73** | 441-16901622-931 | **947.58** | 441-16901622-943 | **1,077.24** | 58 |
| | 16.73-16.90 | 16.41-16.55 | 441-16901655-900 | **738.73** | 441-16901655-931 | **947.58** | 441-16901655-943 | **1,077.24** | 58 |
| 16 | 17.40-17.80 | 17.40-17.80 | 441-00001780-900 | **982.33** | 441-00001780-931 | **1,259.98** | 441-00001780-943 | **1,405.46** | 81 |
| | 18.46-18.90 | 18.46-18.90 | 441-00001890-900 | **982.33** | 441-00001890-931 | **1,259.98** | 441-00001890-943 | **1,405.46** | 81 |
| | 18.90-19.20 | 18.90-19.20 | 441-00001920-900 | **982.33** | 441-00001920-931 | **1,259.98** | 441-00001920-943 | **1,405.46** | 81 |
| | 18.46-18.90 | 17.40-17.80 | 441-18901780-900 | **982.33** | 441-18901780-931 | **1,259.98** | 441-18901780-943 | **1,405.46** | 81 |
| | 18.90-19.20 | 17.40-17.80 | 441-19201780-900 | **982.33** | 441-19201780-931 | **1,259.98** | 441-19201780-943 | **1,405.46** | 81 |
| | 18.90-19.20 | 18.46-18.90 | 441-19201890-900 | **982.33** | 441-19201890-931 | **1,259.98** | 441-19201890-943 | **1,405.46** | 81 |

Suitable anchorage must be provided when excessive pipe movement could cause the pipe to move out of the coupling.

## 441 Omni Cast Coupling
## Reducing

| Nominal Size Inches | | O.D. Range Inches | | Catalog Number | List Price | Approx. |
|---|---|---|---|---|---|---|
| Large End | Small End | End 1 | End 2 | | | Weight lbs. |
| 2 1/2 | 2 | 2.65-2.88 | 2.34-2.63 | 441-02880263-900 | **$180.43** | 20 |
| 6 | 4 | 6.28-6.63 | 4.00-4.15 | 441-06630415-900 | **334.53** | 25 |
| | | 6.28-6.63 | 4.22-4.50 | 441-06630450-900 | **334.53** | 25 |
| | | 6.28-6.63 | 4.46-4.86 | 441-06630486-900 | **334.53** | 25 |
| | | 6.28-6.63 | 4.80-5.10 | 441-06630510-900 | **334.53** | 25 |
| | | 6.28-6.63 | 5.11-5.45 | 441-06630545-900 | **334.53** | 25 |
| 6 | 4 | 6.56-6.96 | 4.00-4.15 | 441-06960415-900 | **$334.53** | 25 |
| | | 6.56-6.96 | 4.22-4.50 | 441-06960450-900 | **$334.53** | 25 |
| | | 6.56-6.96 | 4.46-4.86 | 441-06960486-900 | **$334.53** | 25 |
| | | 6.56-6.96 | 4.80-5.10 | 441-06960510-900 | **$334.53** | 25 |
| | | 6.56-6.96 | 5.11-5.45 | 441-06960545-900 | **$334.53** | 25 |
| 6 | 4 | 6.90-7.22 | 4.00-4.15 | 441-07220415-900 | **334.53** | 25 |
| | | 6.90-7.22 | 4.22-4.50 | 441-07220450-900 | **334.53** | 25 |
| | | 6.90-7.22 | 4.46-4.86 | 441-07220486-900 | **334.53** | 25 |
| | | 6.90-7.22 | 4.80-5.10 | 441-07220510-900 | **334.53** | 25 |
| | | 6.90-7.22 | 5.11-5.45 | 441-07220545-900 | **334.53** | 25 |
| 6 | 4 | 7.25-7.65 | 4.00-4.15 | 441-07650415-900 | **$334.53** | 25 |
| | | 7.25-7.65 | 4.22-4.50 | 441-07650450-900 | **$334.53** | 25 |
| | | 7.25-7.65 | 4.46-4.86 | 441-07650486-900 | **$334.53** | 25 |
| | | 7.25-7.65 | 4.80-5.10 | 441-07650510-900 | **$334.53** | 25 |
| | | 7.25-7.65 | 5.11-5.45 | 441-07650545-900 | **$334.53** | 25 |
| 8 | 6 | 8.40-8.63 | 6.00-6.15 | 441-08630615-900 | **425.69** | 35 |
| | | 8.40-8.63 | 6.28-6.63 | 441-08630663-900 | **425.69** | 35 |
| | | 8.40-8.63 | 6.56-6.96 | 441-08630696-900 | **425.69** | 35 |
| | | 8.40-8.63 | 6.90-7.22 | 441-08630722-900 | **425.69** | 35 |
| | | 8.40-8.63 | 7.25-7.65 | 441-08630765-900 | **425.69** | 35 |
| 8 | 6 | 8.54-9.11 | 6.00-6.15 | 441-09110615-900 | **$425.69** | 35 |
| | | 8.54-9.11 | 6.28-6.63 | 441-09110663-900 | **$425.69** | 35 |
| | | 8.54-9.11 | 6.56-6.96 | 441-09110696-900 | **$425.69** | 35 |
| | | 8.54-9.11 | 6.90-7.22 | 441-09110722-900 | **$425.69** | 35 |
| | | 8.54-9.11 | 7.25-7.65 | 441-09110765-900 | **$425.69** | 35 |
| 8 | 6 | 9.05-9.45 | 6.00-6.15 | 441-09450615-900 | **425.69** | 35 |
| | | 9.05-9.45 | 6.28-6.63 | 441-09450663-900 | **425.69** | 35 |
| | | 9.05-9.45 | 6.56-6.96 | 441-09450696-900 | **425.69** | 35 |
| | | 9.05-9.45 | 6.90-7.22 | 441-09450722-900 | **425.69** | 35 |
| | | 9.05-9.45 | 7.25-7.65 | 441-09450765-900 | **425.69** | 35 |
| 8 | 6 | 9.46-9.85 | 6.00-6.15 | 441-09850615-900 | **$425.69** | 35 |
| | | 9.46-9.85 | 6.28-6.63 | 441-09850663-900 | **$425.69** | 35 |
| | | 9.46-9.85 | 6.56-6.96 | 441-09850696-900 | **$425.69** | 35 |
| | | 9.46-9.85 | 6.90-7.22 | 441-09850722-900 | **$425.69** | 35 |
| | | 9.46-9.85 | 7.25-7.65 | 441-09850765-900 | **$425.69** | 35 |

Suitable anchorage must be provided when excessive pipe movement could cause the pipe to move out of the coupling.

## 441 Omni Component Selection Chart

| Nominal Size Inches | O.D. Range Inches | Gasket Two (2) Required | List Price | Flexi-Coat Epoxy Follower Flange Two (2) Required | List Price | Flexi-Coat Epoxy Sleeve Sleeve | List Price | 441 Alloy Bolts & Nuts** (# Required) Bolt/Nut-005 |
|---|---|---|---|---|---|---|---|---|
| 2 | 2.34-2.63 | 33827-069 | **$7.15** | 20975-045 | **$13.72** | 55139-045 | **$21.34** | (2) 90281/ (2) 100025 5/8 x 8 |
| 2-2 1/2 | Reducing Coupling | * | | * | | 55142-045 | **105.39** | (2) 90281/ (2) 100025 5/8 x 8 |
| 2 1/2 | 2.65-2.88 | 33828-069 | **14.42** | 21366-045 | **14.36** | 55141-045 | **27.53** | (2) 90281/ (2) 100025 5/8 x 8 |
| 3 | 2.85-3.13 | 34610-069 | **15.91** | 21368-045 | **17.76** | 55144-045 | **30.72** | (4) 90281 / (4) 100025 5/8 x 8 |
| | 3.44-3.62 | 33829-069 | **15.91** | 21368-045 | **17.76** | 55144-045 | **30.72** | (4) 90281 / (4) 100025 5/8 x 8 |
| | 3.80-3.96 | 33830-069 | **15.91** | 21369-045 | **17.76** | 55144-045 | **30.72** | (4) 90281 / (4) 100025 5/8 x 8 |
| | 3.97-4.14 | 33831-069 | **15.91** | 21369-045 | **17.76** | 55144-045 | **30.72** | (4) 90281 / (4) 100025 5/8 x 8 |
| 4 | 4.00-4.15 | 33809-069 | **22.94** | 22392-045 | **20.45** | 55131-045 | **42.01** | (4) 90281 / (4) 100025 5/8 x 8 |
| | 4.22-4.50 | 33810-069 | **22.94** | 22392-045 | **20.45** | 55131-045 | **42.01** | (4) 90281 / (4) 100025 5/8 x 8 |
| | 4.46-4.86 | 34578-069 | **22.94** | 22392-045 | **20.45** | 55131-045 | **42.01** | (4) 90281 / (4) 100025 5/8 x 8 |
| | 4.80-5.10 | 33811-069 | **22.94** | 21353-045 | **20.45** | 55131-045 | **42.01** | (4) 90281 / (4) 100025 5/8 x 8 |
| | 5.11-5.45 | 33812-069 | **22.94** | 21353-045 | **20.45** | 55131-045 | **42.01** | (4) 90281 / (4) 100025 5/8 x 8 |
| 4-6 | Reducing Coupling | * | | * | | 55133-045 | **169.59** | (8) 90257 / (8) 100025 5/8 x 4 1/2 |
| 6 | 6.00-6.15 | 33801-069 | **29.98** | 22393-045 | **29.44** | 55126-045 | **54.97** | (4) 90281 / (4) 100025 5/8 x 8 |
| | 6.28-6.63 | 33802-069 | **29.98** | 22393-045 | **29.44** | 55126-045 | **54.97** | (4) 90281 / (4) 100025 5/8 x 8 |
| | 6.56-6.96 | 34579-069 | **29.98** | 22393-045 | **29.44** | 55126-045 | **54.97** | (4) 90281 / (4) 100025 5/8 x 8 |
| | 6.90-7.22 | 33803-069 | **29.98** | 21348-045 | **29.44** | 55126-045 | **54.97** | (4) 90281 / (4) 100025 5/8 x 8 |
| | 7.25-7.65 | 33804-069 | **29.98** | 21349-045 | **29.44** | 55126-045 | **54.97** | (4) 90281 / (4) 100025 5/8 x 8 |
| 6-8 | Reducing Coupling | * | | * | | 55127-045 | **213.84** | (10)90257 / (10)100025 5/8 x 4 1/2 |

## 441 Omni Component Selection Chart

| Nominal Size Inches | O.D. Range Inches | Gasket Two (2) Required | List Price | Flexi-Coat Epoxy Two (2) Required | List Price | Flexi-Coat Sleeve | List Price | 441 Alloy Bolts & Nuts** (# Required) Bolt/Nut-005 |
|---|---|---|---|---|---|---|---|---|
| 8 | 8.00-8.16 | 33805-069 | **$32.09** | 22394-045 | **$38.26** | 55073-045 | **$70.99** | (6)90281 / (6)100025 5/8 x 8 (6)90297 / (6)100025 |
| | `+8.40 | 33806-069 | **32.09** | 22394-045 | **38.26** | 55073-045 | **70.99** | (6)90281 / (6)100025 5/8 x 8 (6)90297 / (6)100025 |
| | 8.10-8.63 | 33806-069 | **32.09** | 22394-045 | **38.26** | 55073-045 | **70.99** | (6)90281 / (6)100025 5/8 x 8 (6)90297 / (6)100025 |
| | 8.54-9.11 | 34580-069 | **32.09** | 22394-045 | **38.26** | 55073-045 | **70.99** | (6)90281 / (6)100025 5/8 x 8 (6)90297 / (6)100025 |
| | 9.05-9.45 | 33846-069 | **32.09** | 21350-045 | **38.26** | 55073-045 | **70.99** | (6)90281 / (6)100025 5/8 x 8 (6)90297 / (6)100025 |
| | 9.05-9.30 | 33807-069 | **32.09** | 21350-045 | **38.26** | 55073-045 | **70.99** | (6)90281 / (6)100025 5/8 x 8 (6)90297 / (6)100025 |
| | 9.46-9.85 | 33808-069 | **32.09** | 21351-045 | **38.26** | 55073-045 | **70.99** | (6)90281 / (6)100025 5/8 x 8 (6)90297 / (6)100025 |
| 10 | 10 | 33860-069 | **43.97** | 21355-045 | **45.83** | 55134-045 | **126.39** | (6)90297 / (6)100025 5/8 x 9 (6)90275 / (6)100025 |
| | 10.50-10.75 | 33813-069 | **43.97** | 21355-045 | **45.83** | 55134-045 | **126.39** | (6)90297 / (6)100025 5/8 x 9 (6)90275 / (6)100025 |
| | 11.10-11.60 | 33814-069 | **43.97** | 21356-045 | **45.83** | 55134-045 | **126.39** | (6)90297 / (6)100025 5/8 x 9 (6)90275 / (6)100025 |
| | 11.65-11.88 | 33815-069 | **43.97** | 21357-045 | **45.83** | 55134-045 | **126.39** | (6)90297 / (6)100025 5/8 x 9 (6)90275 / (6)100025 |
| | 11.90-12.20 | 33816-069 | **43.97** | 21357-045 | **45.83** | 55134-045 | **126.39** | (6)90297 / (6)100025 5/8 x 9 (6)90275 / (6)100025 |
| 12 | 12 | 33859-069 | **49.04** | 21359-045 | **57.49** | 55136-045 | **150.15** | (8)90297 / (8)100025 5/8 x 9 (8)90275 / (8)100025 5/8 |
| | 12.50-12.75 | 33817-069 | **49.04** | 21359-045 | **57.49** | 55136-045 | **150.15** | (8)90297 / (8)100025 5/8 x 9 (8)90275 / (8)100025 5/8 |
| | 13.20-13.50 | 33820-069 | **49.04** | 21360-045 | **57.49** | 55136-045 | **150.15** | (8)90297 / (8)100025 5/8 x 9 (8)90275 / (8)100025 5/8 |
| | 13.51-13.75 | 33821-069 | **49.04** | 21360-045 | **57.49** | 55136-045 | **150.15** | (8)90297 / (8)100025 5/8 x 9 (8)90275 / (8)100025 5/8 |
| | 13.90-14.20 | 33818-069 | **49.04** | 21361-045 | **57.49** | 55136-045 | **150.15** | (8)90297 / (8)100025 5/8 x 9 (8)90275 / (8)100025 5/8 |
| | 14.21-14.40 | 33819-069 | **49.04** | 21361-045 | **57.49** | 55136-045 | **150.15** | (8)90297 / (8)100025 5/8 x 9 (8)90275 / (8)100025 5/8 |

## 441 Omni Component Selection Chart

| Nominal Size Inches | O.D. Range Inches | Gasket<br>Two (2) Required | List Price | Flexi-Coat Epoxy Follower Flange<br>Two (2) Required | List Price | Flexi-Coat Epoxy Sleeve<br>Sleeve | List Price | 441 Alloy Bolts & Nuts**<br>(# Required)<br>Bolt/Nut-005 |
|---|---|---|---|---|---|---|---|---|
| 14 | 15.30-15.50 | 33822-069 | **$81.44** | 21363-045 | **120.60** | 55138-045 | **$247.92** | (8) 90297 / (8)100025<br>5/8 x 9 |
| | 15.55-15.80 | 33823-069 | **81.44** | 21363-045 | **120.60** | 55138-045 | **247.92** | (8) 90297 / (8)100025<br>5/8 x 9 |
| | 16.10-16.35 | 33835-069 | **81.44** | 21364-045 | **120.60** | 55138-045 | **247.92** | (8) 90297 / (8)100025<br>5/8 x 9 |
| | 16.41-16.55 | 33824-069 | **81.44** | 21364-045 | **120.60** | 55138-045 | **247.92** | (8) 90297 / (8)100025<br>5/8 x 9 |
| | 16.73-16.90 | 33825-069 | **81.44** | 21364-045 | **120.60** | 55138-045 | **247.92** | (8) 90297 / (8)100025<br>5/8 x 9 |
| 16 | 17.40 -17.80 | 33832.07 | **125.29** | 21371-045 | **168.22** | 55146-045 | **282.30** | (10)90275 / (10)100025<br>5/8 x 10 1/2 |
| | 18.46-18.90 | 33833-069 | **125.29** | 21372-045 | **168.22** | 55146-045 | **282.30** | 10)90297 / (10)100025<br>5/8 x 9 |
| | 18.90-19.20 | 33834-069 | **125.29** | 21372-045 | **168.22** | 55146-045 | **282.30** | (10)90297 / (10)100025<br>5/8 x 9 |

## 441 Omni Bolts & Nuts Price List

| Description | Part No. | List Price | Ctn. Qty. |
|---|---|---|---|
| Bolt, 3/8" x 3" Square | 90114-001 | **$2.17** | 50 |
| Bolt, 3/8" x 3" Square | 90114-002 | **15.32** | 50 |
| Bolt, 7/16" x 4" Square | 90048-001 | **3.62** | 50 |
| Bolt, 7/16" x 4" Square | 90048-002 | **10.34** | 50 |
| Bolt, 1/2" x 7" Square | 90301-001 | **4.01** | 50 |
| Bolt, 1/2" x 7" Square | 90301-002 | **14.78** | 50 |
| Bolt, 5/8" x 4 1/2" Oval | 90257-005 | **3.45** | 50 |
| Bolt, 5/8" x 4 1/2" Oval | 90257-002 | **15.32** | 50 |
| Bolt, 5/8" x 6" Oval | 90413-005 | **3.60** | 50 |
| Bolt, 5/8" x 6" Oval | 90413-002 | **15.90** | 50 |
| Bolt, 5/8" x 6 7/8", | 90192-005 | **5.07** | 50 |
| Bolt, 5/8" x 6 7/8", | 90192-002 | **19.12** | 50 |
| Bolt, 5/8" x 8", Oval | 90281-005 | **4.18** | 50 |
| Bolt, 5/8" x 8" Oval | 90281-023 | **4.27** | 50 |
| Bolt, 5/8" x 8" Oval | 90281-002 | **21.22** | 50 |
| Bolt, 5/8" x 9" Oval | 90297-005 | **4.53** | 50 |
| Bolt, 5/8" x 9" Oval | 90297-023 | **6.44** | 50 |

## 441 Omni Bolts & Nuts Price List

| Description | Part No. | List Price | Ctn. Qty. |
|---|---|---|---|
| Bolt, 5/8" x 9" Oval | 90297-002 | **$24.32** | 50 |
| Bolt, 5/8" x 10 1/2" Oval | 90275-005 | **4.96** | 50 |
| Bolt, 5/8" x 10 1/2" Oval | 90275-023 | **6.57** | 50 |
| Bolt, 5/8" x 10 1/2" Oval | 90275-002 | **26.72** | 50 |
| Bolt, 5/8" x 11" Oval | 643302 | **6.67** | 50 |
| Bolt, 5/8" x 11" Oval | 643301 | **50.94** | 50 |
| Bolt, 5/8" x 13 1/2" Oval | 90276-005 | **5.66** | 50 |
| Bolt, 5/8" x 13 1/2" Oval | 90276-002 | **35.52** | 50 |
| Bolt, 5/8" x 15" Oval | 90282-005 | **7.97** | 50 |
| Bolt, 5/8" x 15" Oval | 90282-002 | **36.83** | 50 |
| Bolt, 5/8" x 17" Square | 90332-005 | **10.37** | 50 |
| Bolt, 5/8" x 17" Square | 90332-002 | **43.97** | 50 |
| Bolt, 5/8" x 17" Oval | 90422-002 | **38.77** | 50 |
| Bolt, 5/8" x 17" Oval | 90422-005 | **8.19** | 50 |
| Bolt, 5/8" x 17" Oval | 90422-023 | **14.82** | 50 |
| Bolt, 5/8" x 19 1/2" Oval | 90283-005 | **8.41** | 50 |
| Bolt, 5/8" x 27 1/2" Oval | 90284-005 | **13.46** | 50 |
| Stud, 5/8" x 27 1/2" 304 | 90226-202 | **65.34** | 50 |
| Bolt, 3/4" x 9 1/4" | 90188-005 | **7.73** | 50 |
| Bolt, 3/4" x 9 1/4" | 90188-302 | **37.44** | 50 |
| Bolt, 3/4" x 11 1/4" | 90292-005 | **10.07** | 50 |
| Bolt, 3/4" x 11 1/4" | 90292-302 | **43.55** | 50 |
| Nut, 3/8" Heavy Hex, | 100010-001 | **0.54** | 50 |
| Nut, 3/8" Heavy Hex, | 100010-202 | **3.15** | 50 |
| Nut, 7/16" Heavy Hex, | 100029-001 | **0.78** | 50 |
| Nut, 7/16" Heavy Hex, | 100029-202 | **3.90** | 50 |
| Nut, 1/2" Heavy Hex, | 100011-001 | **0.58** | 50 |
| Nut, 1/2" Heavy Hex, | 100011-202 | **4.00** | 50 |
| Nut, 5/8" Heavy Hex, | 100025-001 | **1.55** | 50 |
| Nut, 5/8" Heavy Hex, | 100025-005 | **1.21** | 50 |
| Nut, 5/8" Heavy Hex, | 100025-202 | **7.22** | 50 |
| Nut, 5/8" Heavy Hex, | 100025-224 | **4.46** | 50 |
| Nut, 5/8 Heavy Hex, | 100234-205 | **2.51** | 50 |
| Nut, 3/4" Heavy Hex, | 100032-001 | **2.06** | 50 |
| Nut, 3/4" Heavy Hex. | 100032-005 | **1.71** | 50 |
| Nut, 3/4" Heavy Hex, | 100032-202 | **7.09** | 50 |
| Nut, 7/8" Heavy Hex, | 100072-005 | **8.43** | 50 |
| Washer, 7/16" Flat, | 150020-001 | **0.38** | 100 |
| Washer, 7/16" Flat, 304 | 150020-002 | **0.58** | 100 |
| Washer, 5/8" Flat, | 150018-001 | **0.24** | 100 |
| Washer, 5/8" Flat, 304 | 150018-002 | **1.75** | 100 |
| Washer, 3/4" Flat, | 150032-001 | **0.53** | 100 |
| Washer, 3/4" Flat, 304 | 150032-002 | **3.08** | 100 |
| Washer, 1/2" Spring, | 150116-002 | **6.83** | 100 |
| Washer, 5/8" Spring, | 150115-002 | **7.83** | 100 |
| Washer, 3/4" Spring, | 150117-002 | **9.99** | 100 |

*Two nuts (2) per bolt required

†FOR USE ON APPROVED HDPE PRODUCTS. TWO WASHERS PER BOLT REQUIRED.