

xylem



Xylem's Sensus Cordonel[®]:
5 reasons to believe this
is the last C&I meter
you'll ever buy


SENSUS
xylem

Commercial and industrial (C&I) water meters play a critical role in managing and safeguarding our most valuable resource. Though C&I meters account for a relatively small number of total connections, they represent a disproportionately large share of water volume. That means the accuracy and reliability they represent aren't just important—they're essential.

Enter Cordonel, a breakthrough in ultrasonic metering technology. Engineered for unmatched precision and durability, Cordonel delivers 20 years of sustained accuracy, making it very likely to outlast the career of the person who installs it. For any given C&I installation, it could be the last meter you'll ever buy.

1 Longevity


- Cordonel has a 20-year non-prorated accuracy warranty, a 15-year full replacement warranty/5 year prorated warranty on batteries and components - longer than other C&I meters.
- No moving parts means less wear and tear, delivering long-term performance.



2 Accuracy

- Broadest, most accurate range (R1000 turndown ratio) of any ultrasonic meter.
- Cordonel provides precise measurement from starting flow of 0.05 GPM* to maximum flow of 220 GPM* while meeting both AWWA C715 Type I and II accuracy standards.


*For 1.5" meter; see Data Sheet for more information.



Cordonel is your one meter for all C&I applications - from low flows to high demands such as food processing.

3 Flexibility

- Traditional 6" C&I meters require 10' to 15' diameters upstream and 5' downstream, whereas Cordonel requires no straight pipe upstream or downstream (U0D0 capable), while still maintaining accuracy.



For a 6" meter, Cordonel saves up to 10-feet of straight pipe per install. Some traditional 6" meters require 15 diameters (7.5-ft) upstream and 5 diameters (2.5-ft) downstream.

4 Advanced functionality

- An integrated pressure sensor* helps provide pressure monitoring throughout the distribution system and helps diagnose supply issues to the utility's most important customers.
- Pressure data also provides more accurate hydraulic data for water models and digital twins.
- Temperature sensors catch freezes before they occur and are standard on all sizes.
- Every Cordonel has 180 days of hourly data logging for actionable insights.

*Pressure is the standard feature on 3" and optional on 1.5"-2"

Pressure Profile






Chart view ▲



5 Affordability


- With 20-year accuracy and long-term warranties, Cordonel is more affordable over its life than typical C&I meters. Once installed, it is the one meter for all C&I applications.
- Cordonel eliminates the need for frequent component replacements, labor, and software integration costs.

20-Year Costs*: Cordonel vs. Typical Competitor Meters



*For 1.5"-2" meters

Xylem's Sensus Cordonel® by the numbers



Xylem |'zīləm|

- 1) the tissue in plants that brings water and nutrients upward from the roots.
- 2) a leading global water solutions company.

Xylem is a leading global water solutions company dedicated to advancing sustainable impact and empowering the people who make water work every day. Xylem connects diverse capabilities and innovative technologies to provide tailored solutions across the entire water cycle. From moving, treating and measuring water to optimizing and maintaining water systems, Xylem collaborates with customers to solve their most critical challenges. Together, through partnerships with utilities, industrial manufacturers, building operators, and communities, we are building a more water-secure world.

For more information on how Xylem can help you, visit xylem.com.

Learn more about the revolutionary Cordonel C&I meter:
xylem.com/cordonel



Xylem - North America
301 Water Street SE,
Washington, Washington
D.C., 20003
xylem.com/en.us

All information presented herein is believed reliable and in accordance with accepted engineering practices. Xylem makes no warranties as to the completeness of this information. Users are responsible for evaluating individual product suitability for specific applications. Xylem assumes no liability whatsoever for any special, indirect or consequential damages arising from the sale, resale or misuse of its products. Subject to change without notice.

© 2025 Xylem Inc. or its affiliates. All rights reserved. Cordonel is a trademark of Xylem or one of its subsidiaries.

WBR-10006

